


ABI WALL HUNG TOILET CISTERN




Note: Dimensions are nominal measurements only

| SPECIFICATIONS | |
|--------------------|---|
| RECOMMENDED USE | Domestic |
| INSTALLATION | In-Wall |
| MATERIAL | HDPE Plastic |
| PRESSURE RATING | Recommended minimum working pressure 150kPa Recommended maximum working pressure 500kPa Hot and cold water inlet pressure should be equal |
| TEMPERATURE RATING | Maximum continuous working temperature 75°C If the water temperature exceeds 75°C, an approved tempering valve must be fitted |
| STANDARDS | WELS Star Rating 4-Star - Flow Rate: Full Flush 4.6L, Half Flush 2.8L, Average Flush 3.2L Registration No. L07248 |

Disclaimer: Products in this manual must by law be installed by licensed and registered tradespeople in accordance with the relevant standards. ABI and the manufacturer/distributor reserve the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. The information listed is correct at the time of publication, however ABI and the manufacturer/distributor takes no responsibility for printing errors. Copyright © ABI Interiors 2021.


REQUIRED TOILET SETOUT

Note: This cistern can only be fitted with a wall hung toilet which **corresponds with the following setout**.




INSTALLATION GUIDE


- 1. Please adhere to the following installation instructions.
- We shall not be responsible for failures and loss that are contributed to improper installation.
- 2. Please confirm the fixation location of cistern prior to installation and obtain the finished floor surface. Draw FFL on installation wall and follow it as baseline from ZERO (0) level.
- 3. The instructions have been composed based on the latest product specifications. We reserve the right to make modifications to the packaging and specifications without providing prior notification



PARTS LIST


| No. | Description | Qty | Function |
|-----|------------------------|-----|---|
| 1 | Appropriate Fixings | 4 | Mounting of frame & wall bracket |
| 2 | Wall Bracket | 2 | Fixation of frame |
| 3 | Cistern Valve | 1 | Fill valve inlet and shut-off |
| 4 | Cistern Cover | 1 | Airproof tank and mounting of locking bracket |
| 5 | Socket Head Screw | 2 | Mounting of frame and locking into wall bracket |
| 6 | Plastic Holder | 1 | To reserve space for installation of actuator at wall building |
| 7 | Plastic Holder Cover | 1 | To prevent dust and impurities into tank at wall building |
| 8 | Connecting Screw | 1 | Water inlet to ceramic bowl |
| 9 | Protective Cover | 2 | To protect connecting screw at wall building |
| 10 | Ceramic bowl fixings | 1 | To mount ceramic bowl |
| 11 | Straight Tube | 1 | To join cistern into ceramic bowl (cutting in accordance with wall thickness) |
| 12 | Connecting Pipe | 1 | |
| 13 | Piping Stopper | 1 | To reserve space for straight tube and connecting pipe. |
| 14 | Draining Syphon | 1 | To discharge liquid and solid waste from ceramic bowl |
| 15 | Draining Syphon Holder | 1 | To mount draining syphon |
| 16 | Mounting Bracket | 1 | |







available parts

Note: In the case where back water supply is not feasible in installation, switch to top water supply as per drawing below;





Drill holes into structural wall or frame and floor and fix appropriate fixings. Note: example shown is masonry.






- 1 drill Ø 10mm by 75mm deep hole
- 2 Insert expansion 3 fix wall bracket into hole screw






- 1 drill Ø 10mm by 75mm deep hole
- 2 Insert expansion screw


Installation of draining syphon




- 1 Remove the mounting bracket
- 2 Mount draining syphon (optional distance 120 or 100)
- 3 Fasten the mounting bracket





Adjusting and fixing mounting frame.



1 Pre tighten the nut and when frame location is seated, lock the nut.







Wall thickness range 20-60mm (from frame outside to finished wall)

